




# LED DOWNLIGHTS

Professional LED Lighting Suppliers

CE / RoHS / FCC

LED Downlight Series



**深圳市江景照明有限公司**  
Shenzhen Jiangjing Lighting Co.,Ltd.

# LED Downlights -- SMD5630

## Features

Input Voltage : AC100-240V

IP Grade : IP44

Emitting Color : 3000K-6500K

Beam Angle: 120°

Shell Material: White Aluminum& Glass

CRI : ≥80

LED Chips: Samsung

Lifespan : 50,000h

LED source : SMD 5630

PF : ≥0.90

Certification : CE / RoHS / FCC

Warranty : 3 year

## Parameter



10W						
Model	Dimmable	LED QTY	Size	Cut Out	Lumen	N.W
JJ-DL10W-L24-P	NO	24 LEDs	Φ91*55mm	81mm	85Lm/w	0.30 kg/pc
JJ-DL10W-L24-D	YES					



20W						
Model	Dimmable	LED QTY	Size	Cut Out	Lumen	N.W
JJ-DL20W-L50-P	NO	50 LEDs	Φ130*66mm	118mm	85Lm/w	0.50 kg/pc
JJ-DL20W-L50-D	YES					



30 W						
Model	Dimmable	LED QTY	Size	Cut Out	Lumen	N.W
JJ-DL30W-L70-P	NO	70 LEDs	Φ162*75mm	145mm	85Lm/w	0.90 kg/pc
JJ-DL30W-L70-D	YES					



40 W						
Model	Dimmable	LED QTY	Size	Cut Out	Lumen	N.W
JJ-DL40W-L100-P	NO	100 LEDs	Φ190*80mm	175mm	85Lm/w	1.10 kg/pc
JJ-DL40W-L100-D	YES					



50 W						
Model	Dimmable	LED QTY	Size	Cut Out	Lumen	N.W
JJ-DL50W-L120-P	NO	120 LEDs	Φ230*88mm	220 mm	85Lm/w	1.30 kg/pc
JJ-DL50W-L120-D	YES					

# LED Downlights -- SMD3030

## Features

Input Voltage : AC100-240V

IP Grade : IP44

Emitting Color : 3000K-6500K

Beam Angle: 80°

Shell Material: White Aluminum& Glass

CRI : ≥80

LED Chips: Epistar

Lifespan : 50,000h

LED source : SMD 3030

PF : ≥0.90

Certification : CE / RoHS / FCC

Warranty : 3 year

## Parameter



10W						
Model	Dimmable	LED QTY	Size	Cut Out	Lumen	N.W
JJ-DL10W-L15-P	NO	15 LEDs	Φ91*55mm	81mm	85Lm/w	0.30 kg/pc
JJ-DL10W-L15-D	YES					



20W						
Model	Dimmable	LED QTY	Size	Cut Out	Lumen	N.W
JJ-DL20W-L25-P	NO	25 LEDs	Φ130*66mm	118mm	85Lm/w	0.50 kg/pc
JJ-DL20W-L25-D	YES					



30 W						
Model	Dimmable	LED QTY	Size	Cut Out	Lumen	N.W
JJ-DL30W-L35-P	NO	35 LEDs	Φ162*75mm	145mm	85Lm/w	0.90 kg/pc
JJ-DL30W-L35-D	YES					



40 W						
Model	Dimmable	LED QTY	Size	Cut Out	Lumen	N.W
JJ-DL40W-L50-P	NO	50 LEDs	Φ190*80mm	175mm	85Lm/w	1.10 kg/pc
JJ-DL40W-L50-D	YES					



50 W						
Model	Dimmable	LED QTY	Size	Cut Out	Lumen	N.W
JJ-DL50W-L60-P	NO	60 LEDs	Φ230*88mm	220 mm	85Lm/w	1.30 kg/pc
JJ-DL50W-L60-D	YES					

# COB LED Downlights

## Features

Input Voltage : AC100-240V

IP Grade : IP44

Emitting Color : 3000K-6500K

Beam Angle: 80°

Shell Material: White Aluminum

CRI : ≥75

LED Chips: Epistar

Lifespan : 50,000h

LED source : COB

PF : ≥0.90

Certification : CE / RoHS / FCC

Warranty : 3 year

## Parameter



5 W						
Model	Dimmable	LED QTY	Size	Cut Out	Lumen	N.W
JJ-DL5W-COB-P	NO	COB	Φ91*55mm	81mm	75Lm/w	0.30 kg/pc
JJ-DL5W-COB-D	YES					



10 W						
Model	Dimmable	LED QTY	Size	Cut Out	Lumen	N.W
JJ-DL10W-COB-P	NO	COB	Φ130*66mm	118mm	75Lm/w	0.50 kg/pc
JJ-DL10W-COB-P	YES					



15 W						
Model	Dimmable	LED QTY	Size	Cut Out	Lumen	N.W
JJ-DL15W-COB-P	NO	COB	Φ162*75mm	145mm	75Lm/w	0.90 kg/pc
JJ-DL15W-COB-P	YES					



20 W						
Model	Dimmable	LED QTY	Size	Cut Out	Lumen	N.W
JJ-DL20W-COB-P	NO	COB	Φ190*80mm	175mm	75Lm/w	1.10 kg/pc
JJ-DL20W-COB-D	YES					



30 W						
Model	Dimmable	LED QTY	Size	Cut Out	Lumen	N.W
JJ-DL30W-COB-P	NO	COB	Φ230*88mm	220 mm	75Lm/w	1.30 kg/pc
JJ-DL30W-COB-D	YES					

# RGBW LED Down lights

## Features

Input Voltage : DC 12V

IP Grade : IP44

Emitting Color : Red(630nm) / Green(520nm) / Blue(460nm) / White(6000-6500K)

Beam Angle: 80°

Shell Material: White Aluminum

CRI : ≥75

Lifespan : 50,000h

LED source : High power LED

PF : ≥0.90

Certification : CE / RoHS / FCC

Warranty : 3 year

## Parameter



**JJ-DL3X4W-L3**

Watt	Dimmable	LED QTY	Size	Cut Out	N.W
12 W	YES	3 pcs	Φ91*55mm	81mm	0.30 kg/pc



**JJ-DL9X4W-L9**

Watt	Dimmable	LED QTY	Size	Cut Out	N.W
36 W	YES	3 pcs	Φ162*75mm	145 mm	0.90 kg/pc



LIGHTING THE WORLD  
ILLUMINATING THE FUTURE

**深圳市江景照明有限公司**  
Shenzhen Jiangjing Lighting Co.,Ltd.

---

Address : Building A,Chuangfu Industrial Park, Aiqun Road, Shiyuan Street ,Baoan District, Shenzhen City, CHINA. 518108 .

Telephone : +86-755-27356576                      +86-755-27356495

Fax : +86-755-27354763

Email : [info@szjiangjing.com](mailto:info@szjiangjing.com)

Web : [www.t8-downlight.com](http://www.t8-downlight.com)