


# LED FLOOD LIGHT

Professional LED Lighting Suppliers

ROHS / CE / FCC

LED Flood Light Series



深圳市江景照明有限公司  
Shenzhen Jiangjing Lighting Co.,Ltd.

# LED Flood Light

## Features

Input Voltage : AC100-240V

IP Grade : IP65

Lifespan : 50,000h

Emitting Color : 2700K-6500K

Shell Material: High Quality Aluminum & SMD3030 & PCB

CRI : ≥80

LED Chips: Epistar

Beam Angle: 120°

PF : ≥0.90

Warranty : 3 year

Certification : CE / ROHS / FCC

## Application



# Parameter




**JJ-FL10W**

Power	LED QTY	Lumen	N . W
10W	15 pcs	90-100Lm/w	0.50 kg/pc



**JJ-FL30W**

Power	LED QTY	Lumen	N . W
30W	40 pcs	90-100Lm/w	1.50 kg/pc



**JJ-FL50W**

Power	LED QTY	Lumen	N . W
50W	60 pcs	90-100Lm/w	1.90 kg/pc



**JJ-FL100W**

Power	LED QTY	Lumen	N . W
100W	126 pcs	90-100Lm/w	3.90 kg/pc




**JJ-FL150W**

Power	LED QTY	Lumen	N . W
150W	182 pcs	90-100Lm/w	6.20 kg/pc



**JJ-FL200W**

Power	LED QTY	Lumen	N . W
200W	252 pcs	90-100Lm/w	7.70 kg/pc



Mode	L	W	H
JJ-FL10W	115 mm	86 mm	90 mm
JJ-FL30W	225 mm	186 mm	120 mm
JJ-FL50W	286 mm	235 mm	150 mm
JJ-FL100W	360 mm	287 mm	100 mm
JJ-FL150W	380 mm	280 mm	180 mm
JJ-FL200W	453 mm	323 mm	185 mm

LIGHTING THE WORLD  
ILLUMINATING THE FUTURE

**深圳市江景照明有限公司**  
Shenzhen Jiangjing Lighting Co.,Ltd.

---

Address : Building A,Chuangfu Industrial Park, Aiqun Road, Shiyan Street ,Baoan District, Shenzhen City, CHINA. 518108 .

Telephone : +86-755-27356576                      +86-755-27356495

Fax : +86-755-27354763

Email : [info@szjiangjing.com](mailto:info@szjiangjing.com)

Web : [www.t8-downlight.com](http://www.t8-downlight.com)